







Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Result Unit
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	06/Jul/2004	13:40	Modesto Irrigation District	samplewater	ORP	74	mV
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	05/Oct/2004	12:46	Modesto Irrigation District	samplewater	ORP	NR	mV
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	08/Jan/2005	14:12	Modesto Irrigation District	samplewater	ORP	NR	mV
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/Jan/2005	14:13	Modesto Irrigation District	samplewater	ORP	NR	mV
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	06/Jul/2004	13:40	Modesto Irrigation District	samplewater	Oxygen, Dissolved	7.31	mg/L
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	05/Oct/2004	12:46	Modesto Irrigation District	samplewater	Oxygen, Dissolved	6.89	mg/L
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	08/Jan/2005	14:12	Modesto Irrigation District	samplewater	Oxygen, Dissolved	9.37	mg/L
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/Jan/2005	14:13	Modesto Irrigation District	samplewater	Oxygen, Dissolved	8.48	mg/L
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	16/Feb/2005	9:35	Modesto Irrigation District	samplewater	Oxygen, Dissolved	9.9	mg/L
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	18/Jul/2005	11:34	Modesto Irrigation District	samplewater	Oxygen, Dissolved	8.2	mg/L
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	11/Oct/2005	12:46	Modesto Irrigation District	samplewater	Oxygen, Dissolved	10.38	mg/L
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	02/Mar/2006	15:47	Modesto Irrigation District	samplewater	Oxygen, Dissolved	9.59	mg/L
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	06/Jul/2004	13:40	Modesto Irrigation District	samplewater	pH	7.25	units
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	05/Oct/2004	12:46	Modesto Irrigation District	samplewater	pH	7.32	units
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	08/Jan/2005	14:12	Modesto Irrigation District	samplewater	pH	6.49	units
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/Jan/2005	14:13	Modesto Irrigation District	samplewater	pH	6.63	units
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	16/Feb/2005	9:35	Modesto Irrigation District	samplewater	pH	7.01	units
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	18/Jul/2005	11:34	Modesto Irrigation District	samplewater	pH	7.19	units
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	11/Oct/2005	12:46	Modesto Irrigation District	samplewater	pH	8.31	units
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	02/Mar/2006	15:47	Modesto Irrigation District	samplewater	pH	7.69	units
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	06/Jul/2004	13:40	Modesto Irrigation District	samplewater	Temperature	25.57	°C
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	05/Oct/2004	12:46	Modesto Irrigation District	samplewater	Temperature	20.84	°C
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	08/Jan/2005	14:12	Modesto Irrigation District	samplewater	Temperature	11.58	°C
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/Jan/2005	14:13	Modesto Irrigation District	samplewater	Temperature	11.89	°C
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	16/Feb/2005	9:35	Modesto Irrigation District	samplewater	Temperature	13.04	°C
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	18/Jul/2005	11:34	Modesto Irrigation District	samplewater	Temperature	26.06	°C
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	11/Oct/2005	12:46	Modesto Irrigation District	samplewater	Temperature	20.07	°C
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	02/Mar/2006	15:47	Modesto Irrigation District	samplewater	Temperature	12.00	°C
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	06/Jul/2004	13:40	Modesto Irrigation District	samplewater	Turbidity	8.31	NTU
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	05/Oct/2004	12:46	Modesto Irrigation District	samplewater	Turbidity	6.21	NTU
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	08/Jan/2005	14:12	Modesto Irrigation District	samplewater	Turbidity	19.8	NTU
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/Jan/2005	14:13	Modesto Irrigation District	samplewater	Turbidity	48.18	NTU
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	16/Feb/2005	9:35	Modesto Irrigation District	samplewater	Turbidity	45.73	NTU
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	18/Jul/2005	11:34	Modesto Irrigation District	samplewater	Turbidity	8.00	NTU
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	11/Oct/2005	12:46	Modesto Irrigation District	samplewater	Turbidity	5.88	NTU
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	02/Mar/2006	15:47	Modesto Irrigation District	samplewater	Turbidity	8.32	NTU
Modesto Irrigation District		Waterford Stein	16/Feb/2005	10:44	Modesto Irrigation District	samplewater	Conductivity	40	uS/cm
Modesto Irrigation District		Waterford Stein	16/Feb/2005	10:44	Modesto Irrigation District	samplewater	Oxygen, Dissolved	4.16	mg/L
Modesto Irrigation District		Waterford Stein	16/Feb/2005	10:44	Modesto Irrigation District	samplewater	pH	6.05	units
Modesto Irrigation District		Waterford Stein	16/Feb/2005	10:44	Modesto Irrigation District	samplewater	Temperature	14.13	°C
Modesto Irrigation District		Waterford Stein	16/Feb/2005	10:44	Modesto Irrigation District	samplewater	Turbidity	17.83	NTU







Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Modesto Irrigation District	535MIDSPS	Spencer Spill	28/Feb/2006	13:54	Modesto Irrigation District	samplewater	Total Kjeldahl Nitrogen (TKN)	2.7	mg/L	0.50	0.50	
Modesto Irrigation District	535MIDSPS	Spencer Spill	02/Mar/2006	0:00	Modesto Irrigation District	samplewater	Total Kjeldahl Nitrogen (TKN)	2.2	mg/L	0.5	0.5	
Modesto Irrigation District	535MIDSPS	Spencer Spill	08/Jan/2005	12:09	Modesto Irrigation District	samplewater	Total Organic Carbon (TOC)	33.8	mg/L	0.5	0.5	
Modesto Irrigation District	535MIDSPS	Spencer Spill	10/Jan/2005	12:10	Modesto Irrigation District	samplewater	Total Organic Carbon (TOC)	37.8	mg/L	0.5	0.5	
Modesto Irrigation District	535MIDSPS	Spencer Spill	28/Feb/2006	13:54	Modesto Irrigation District	samplewater	Total Organic Carbon (TOC)	10.3	mg/L	0.5	0.5	
Modesto Irrigation District	535MIDSPS	Spencer Spill	02/Mar/2006	0:00	Modesto Irrigation District	samplewater	Total Organic Carbon (TOC)	7.3	mg/L	0.5	0.5	
Modesto Irrigation District	535MIDSPS	Spencer Spill	08/Jan/2005	12:09	Modesto Irrigation District	samplewater	Total Phosphorous as P	3.8	mg/L	1.3	1.3	
Modesto Irrigation District	535MIDSPS	Spencer Spill	10/Jan/2005	12:10	Modesto Irrigation District	samplewater	Total Phosphorous as P	4.3	mg/L	0.5	0.5	
Modesto Irrigation District	535MIDSPS	Spencer Spill	28/Feb/2006	13:54	Modesto Irrigation District	samplewater	Total Phosphorous as P	0.11	mg/L	0.05	0.05	
Modesto Irrigation District	535MIDSPS	Spencer Spill	02/Mar/2006	0:00	Modesto Irrigation District	samplewater	Total Phosphorous as P	0.10	mg/L	0.05	0.05	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	06/Jul/2004	13:40	Modesto Irrigation District	samplewater	Potassium (K)	-1000	ug/L	ND	1000	1000
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	05/Oct/2004	12:46	Modesto Irrigation District	samplewater	Potassium (K)	-1000	ug/L	ND	1000	1000
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	08/Jan/2005	14:12	Modesto Irrigation District	samplewater	Potassium (K)	2720	ug/L	1000	1000	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/Jan/2005	14:13	Modesto Irrigation District	samplewater	Potassium (K)	4730	ug/L	1000	1000	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	18/Jul/2005	12:56	Modesto Irrigation District	samplewater	Potassium (K)	-1000	ug/L	ND	1000	1000
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	02/Mar/2006	0:00	Modesto Irrigation District	samplewater	Potassium (K)	2890	ug/L	1000	1000	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/112005	12:46	Modesto Irrigation District	samplewater	Potassium (K)	-1000	ug/L	ND	1000	1000
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	06/Jul/2004	13:40	Modesto Irrigation District	samplewater	Total Dissolved Solids (TDS)	36	mg/L	10	10	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	05/Oct/2004	12:46	Modesto Irrigation District	samplewater	Total Dissolved Solids (TDS)	25	mg/L	10	10	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	08/Jan/2005	14:12	Modesto Irrigation District	samplewater	Total Dissolved Solids (TDS)	33	mg/L	10	10	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/Jan/2005	14:13	Modesto Irrigation District	samplewater	Total Dissolved Solids (TDS)	78	mg/L	10	10	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	18/Jul/2005	12:56	Modesto Irrigation District	samplewater	Total Dissolved Solids (TDS)	11.0	mg/L	10.0	10.0	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	02/Mar/2006	0:00	Modesto Irrigation District	samplewater	Total Dissolved Solids (TDS)	67	mg/L	10	10	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/112005	12:46	Modesto Irrigation District	samplewater	Total Dissolved Solids (TDS)	25	mg/L	10	10	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	06/Jul/2004	13:40	Modesto Irrigation District	samplewater	Total Kjeldahl Nitrogen (TKN)	-0.5	mg/L	ND	0.5	0.5
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	05/Oct/2004	12:46	Modesto Irrigation District	samplewater	Total Kjeldahl Nitrogen (TKN)	-0.5	mg/L	ND	0.5	0.5
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	08/Jan/2005	14:12	Modesto Irrigation District	samplewater	Total Kjeldahl Nitrogen (TKN)	1.4	mg/L	0.5	0.5	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/Jan/2005	14:13	Modesto Irrigation District	samplewater	Total Kjeldahl Nitrogen (TKN)	1.7	mg/L	0.5	0.5	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	18/Jul/2005	12:56	Modesto Irrigation District	samplewater	Total Kjeldahl Nitrogen (TKN)	0.7	mg/L	0.50	0.50	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	02/Mar/2006	0:00	Modesto Irrigation District	samplewater	Total Kjeldahl Nitrogen (TKN)	1.3	mg/L	0.5	0.5	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/112005	12:46	Modesto Irrigation District	samplewater	Total Kjeldahl Nitrogen (TKN)	-0.5	mg/L	ND	0.50	0.50
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	06/Jul/2004	13:40	Modesto Irrigation District	samplewater	Total Organic Carbon (TOC)	2.3	mg/L	0.2	0.2	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	06/Jul/2004	13:40	Modesto Irrigation District	samplewater	Total Organic Carbon (TOC)	3.6	mg/L	0.5	0.5	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	05/Oct/2004	12:46	Modesto Irrigation District	samplewater	Total Organic Carbon (TOC)	3.5	mg/L	0.2	0.2	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	08/Jan/2005	14:12	Modesto Irrigation District	samplewater	Total Organic Carbon (TOC)	10.6	mg/L	0.5	0.5	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/Jan/2005	14:13	Modesto Irrigation District	samplewater	Total Organic Carbon (TOC)	8.7	mg/L	0.5	0.5	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	02/Mar/2006	0:00	Modesto Irrigation District	samplewater	Total Organic Carbon (TOC)	3.0	mg/L	0.5	0.5	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/112005	12:46	Modesto Irrigation District	samplewater	Total Organic Carbon (TOC)	2.7	mg/L	0.5	0.5	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	06/Jul/2004	13:40	Modesto Irrigation District	samplewater	Total Phosphorous as P	0.049	mg/L	0.05	0.05	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	05/Oct/2004	12:46	Modesto Irrigation District	samplewater	Total Phosphorous as P	0.071	mg/L	0.05	0.05	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	08/Jan/2005	14:12	Modesto Irrigation District	samplewater	Total Phosphorous as P	0.17	mg/L	0.05	0.05	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/Jan/2005	14:13	Modesto Irrigation District	samplewater	Total Phosphorous as P	0.21	mg/L	0.05	0.05	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	18/Jul/2005	12:56	Modesto Irrigation District	samplewater	Total Phosphorous as P	0.072	mg/L	0.05	0.05	
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	02/Mar/2006	0:00	Modesto Irrigation District	samplewater	Total Phosphorous as P	-0.05	mg/L	ND	0.05	0.05
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/112005	12:46	Modesto Irrigation District	samplewater	Total Phosphorous as P	-0.05	mg/L	ND	0.05	0.05







Coalition Area	Station Code	Station Name	Sample Date	Sample Time	Sampled By:	Matrix Name	Analyte	Result	Unit	Qualifier	MDL	RL
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	16/Feb/2005	10:02	Modesto Irrigation District	samplewater	Oryzalin	55	ug/L	ND	1	1
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	18/Jul/2005	12:56	Modesto Irrigation District	samplewater	Oryzalin	-1	ug/L	ND	1	1
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	02/Mar/2006	0:00	Modesto Irrigation District	samplewater	Oryzalin	-1	ug/L	ND	1	1
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/11/2005	12:46	Modesto Irrigation District	samplewater	Oryzalin	-1	ug/L	ND	1	1
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	06/Jul/2004	13:40	Modesto Irrigation District	samplewater	Prodiamine	-0.05	ug/L	ND	0.05	0.05
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	05/Oct/2004	12:46	Modesto Irrigation District	samplewater	Prodiamine	-0.1	ug/L	ND	0.1	0.1
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	08/Jan/2005	14:12	Modesto Irrigation District	samplewater	Prodiamine	-0.1	ug/L	ND	0.1	0.1
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/Jan/2005	14:13	Modesto Irrigation District	samplewater	Prodiamine	-0.1	ug/L	ND	0.1	0.1
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	18/Jul/2005	12:56	Modesto Irrigation District	samplewater	Prodiamine	-0.1	ug/L	ND	0.1	0.1
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	28/Feb/2006	0:00	Modesto Irrigation District	samplewater	Prodiamine	-0.1	ug/L	ND	0.1	0.1
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	02/Mar/2006	0:00	Modesto Irrigation District	samplewater	Prodiamine	-0.1	ug/L	ND	0.1	0.1
Modesto Irrigation District	535MIDWFS	Waterford L.M. Spill	10/11/2005	12:46	Modesto Irrigation District	samplewater	Prodiamine	-0.1	ug/L	ND	0.1	0.1
Modesto Irrigation District		Waterford Stein	16/Feb/2005	10:44	Modesto Irrigation District	samplewater	Diuron	0.5	ug/L	DNQ	1	1
Modesto Irrigation District		Waterford Stein	16/Feb/2005	10:44	Modesto Irrigation District	samplewater	Oryzalin	3.9	ug/L		1	1